Missouri Botanical Garden

Peter H. Raven Library

George Engelmann Botanical Notebooks



Pagination Note:
Since many of the items lack a specific page number, the page number displayed online refers to the sequentially created number each item was given upon cataloging the materials.

6. Cusc. p. 467

C. brevistylus Ott & Br.

i. xx

179

184

333

(Enclosed 125-187)

4460

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

copyright reserved
MISSOURI BOTANICAL GARDEN



Cussonia breviscyla A. Braun
W. Schimper Abyssinia Nr 1486
III Collection
1844

Caulis cupulare – filiformis
arcte glomerato glomerulis
majusculis (3 – 5 fl. ci dant)
fl. abortivis stipitis;
fl. sessilib. v. brevissime pedicellatis
calycis expalati ad ang. (4 – plerq.
5 fidi lobis ovato acutis rumpido
apice bullato incrassatis; corollae
tubo supertibus; laciniis corolle
ovato – triangulatis acutis, apice
callatis; – ovarii staminibus
dentatis, fauci aequilibus annulo
tubo adnato; stylis ad
basin aequilibus, brevibus, ovario

bracteibus lanceolatis; caps. ovoideis — sem. parvis
verrucosis

Style — fit thinner the stigma; in flower probably the reverse

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

4461.

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Cuscuta monostyla Don

Djebel, Serbal

Schub. petr. in Pyrenaeis Tomen tosa

P. C. Botter

in Hb. Mus Paris

& Hohenacker

caule capillari, glomeruli pauci (pauciflori,) fl. sessili, pauci, calyci carnosi, bulbato, ad medium 4–5 fid. lobis late ovatis, cuspidatis bulbig, carnosi, tubo corolla longioribus, squamis tubo aequilongis erectis (carnosi ovato triangulatis antice apice) ovato obtusis orbiculatis fructum subaequantibus; ovario tubo brevioribus, medio achaetis crenatis glabris, stylis brevissimis / ovario majoribus

non ovato trigono nec globoso

This seems to be C. Palaestina Boiss & Heg. R. or. I. 11. p. 86 and is the same as C. alba Presl

ovario aequilongis

Corollae masculae laciniis supra basin convolutis
Heads abt 2 lines ⌀ Ninth ⌀ fit flows 7/4 1.5
fit very small abt 0.6 lines ⌀ Ninth

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

2944

333

4/12 57

518. Cerc. elegans Hoe. – herb.
Tigris 1857. May.
Buchingan Dec 1857

is certainly C. brevistyla
which however may belong to
C. pleiflora ?

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

4463

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

Kew Aug 1857

Cuscuta brevistyla, corolla in parte connivente
squamis minutis hyalinis bipartitis —

This is the same as Griffith plant.

St Thomas ~~Az~~ Thibetis occidentalis

Aug 24 1847 ~~9~~ 12000 feet high
on Cupparis spec. (~~Rhapsit trees~~ — Barley
a region, where Barley only
is cultivated, and where
fruit trees do not grow.

4464

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

C. brevistyla
glomeris laxiusculis
corollis tenuibus
ovarii compressi
stylis filiformibus longissimis
rigens brev.

T. bel Hook fil

9—12000 feet Sikk

HOOKER'S HERBARIUM R.G.A. EDEN

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

4465

ALEX. LEITCH,

APOTHECARY & PHARMACEUTIST,

Marble Building, Cor. Fourth & Olive Sts., St. Louis, Mo.

MISSOURI BOTANICAL GARDEN
ENGELMANN PAPERS
GEORGE

MISSOURI BOTANICAL GARDEN
cm 0 1 2 3 4 5 6 7 8 9 10
copyright reserved

St Louis Dec 1846

i° X X

Affghanistan

Griffth

626. 6. Schagi

Hook Herbar. 23.

Affghanistan

Griffth.

626. b Cplanflor

Hooker Herb. 26



over

Cuscuta



0.8
-0.9

Affghanistan

Griffith 686. e

cutter

1.3

Herb Hook 24

St Louis Dec 1846

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Rec. Aug 1857

These drawings are tolerably correct — but it is of a small Carex plani-flora — but very short styles, and very small mostly bifid scales — corolla & capsule mostly petulate, not connivent, as represented

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

9944

631

= 1857



Cuscuta globulosa. Bois & Reut.
Bois. Diagn. pl. or. II. 3. p. 126
Balansa № 413
on Gypsite, on the Tomolus
near Sayrnea 1854

Ex herb Griseb.
H. Cosson, H. Gay

Caule rapillari, glomerulis dens. fl.
fl. semiclausi; cal. cupulati 4–5 lob.
lanc. late ovatis inaequalis cupulat
tubo corollae longioribus; lanc.
ovatis cuspidat. Dem petalis, circa
capsulam demum circumscissis, calyptram fil
stam. brev. antth orbiculat cordat
sg. mucron. bacca bifida,
medio tubo adnatis; stylis
omnio brevissimis!

fl. paucis; totis aspersis-saccharatis

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

4467

Carex Grayana Dewey, Labillardière — ☿ Mr. Dewey's
with sm. pist.: scales small, bifid, lanceolate; fl.
4 or 5 pointed; lobes of Coralla incurved, ☿ fruit
connivent; styles short. —

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

Mr. Lin
1844

Leaves broadly ~~A. Brown~~ & R. Schimp.

and & Rich Text of Abyss.

allied to ~~plant~~ planiflora & approximate,

& the cup the light ~~short styles~~ small flowers,

short styles, acute, erect lobes of

nearest Corolla, which often are exclusive

over the capsule, & this repeated

& the styles similar to Leaves.

heads very small

heads small or large often looking

on axis of the shape of the corolla which

& flowers ~~only~~ is sometimes petaloid.

4468

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN





?

scales enlarged

?

Cucumis

Rossia meridionalis.

Lessing in herb reg Berl.

No 6

flowers small, small; lobes of calyx — corolla printed; scales very small, narrow, with very few teeth

styles very short

perhaps a form of C. sativus?

the specimens 129 & 130 from southern Russia I refer with doubt to C. Erevistylus —

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

4469

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS